



CERA PER STUCCHI

Protective wax in paste form
for Venetian plaster

konstruktive · **leidenschaft**



Strada Spartafino, 2
12016 Peveragno (CN)



ph. +39 0171 38.38.00
Fax +39 0171 33.93.95



info@vimark.com
www.vimark.com



DESCRIPTION

CERA PER STUCCHI is a special wax in paste form for the protection, sealing and polishing of lime plasters, Venetian plaster, marmorino, encaustic effects etc. The product is particularly suitable for use in wet areas such as bathrooms and kitchens giving a velvet touch finish. The product can also be used for the protection of wallpaper giving it a satin finish.

COMPOSITION

CERA PER STUCCHI is a solvent based wax.

MIXING AND APPLICATION

Thoroughly clean the surfaces to treat and eliminate all traces of dust, dirt or grease. Manually shake the **CERA PER STUCCHI** before use. Apply the product evenly, spreading a thin layer of wax with a cotton cloth or sponge. The product can also be applied using a spatula for Venetian plaster. Apply the product to the surface using the same technique as for marmorino.
Wait 2-3 hours after applying before polishing and shining with a woollen cloth (or polishing machine) rubbing vigorously the treated surface until you get the desired aesthetic effect

INDICATIVE AMOUNTS

0.03 litres per m² per coat.

COLOUR

White.

PACKAGING

Tin of 1 litre.

STORAGE

12 months in original intact packaging, protected from frost.

RECOMMENDATIONS

Do not apply in temperatures below + 10°C or above + 35°C in the presence of strong wind, rain or under direct sunlight.
Do not apply to surfaces subject to crumbling.

PRODUCT DATA

| | |
|------------------------|-----------|
| <i>Appearance</i> | paste |
| <i>Colour</i> | white |
| <i>Specific weight</i> | 980,0 g/l |

DATI APPLICATIVI

| | |
|--|--------|
| <i>Minimum application temperature</i> | + 10°C |
| <i>Maximum application temperature</i> | + 35°C |

VOC

Product not intended for use provided for by the directive 2004/42/CE.

REMARKS

Product for professional use. The data and instructions in this data sheet are based on our best practical and laboratory experience. They refer to laboratory tests and should be considered indicative. In view of the different conditions of use and application, which depend on factors over which Vimark has no control (type of surface, environmental conditions, technical indications for fixing, etc.), those who use the product are responsible for ascertaining whether or not it is suitable for the intended purpose. Thus our warranty obligation merely covers the quality and fade-free characteristics of the actual product, and exclusively in relation to the aforementioned data. Vimark reserves the right to make technical modifications without prior notice. This technical data sheet voids and substitutes all previous editions. Updates will be published on the web site www.vimark.com

